Super Graphite Valve Packing

Code: KXTP404

Description

Flexible graphite packing braided from expanded graphite yarns, reinforced of cotton fiber, glass Super Graphite Packing specially for high pressure valves, braided from expanded graphite yarns with corrosion inhibitor, reinforced with inconel wire. Each yarn is round braided with inconel mesh outside again. The mesh is jacketed. The jacketed materials: stainless steel, inconel, copper, etc.



Super Graphite Valve Packing Item no.: KXTP404

- * The exclusive packing is formable, yet tough.
- * Cost-effective as well as a confident

Item no.: KXTP404

Typical Application

* It can handle most chemical, acids and alkalis

* Excellent for use in steam turbines, high temperature motor-actuated valves and for high temperature and high pressure valve applications in general.

KXTP404AM -- Graphite packing wrapped with Aramid Mesh

Each yarn is wrapped with aramid filament. The high strength aramid mesh make the packing three times more resistant to extrusion and increase the pressure handing capabilities.

Technical Data

Material		100% Expanded Graphite (Metal mesh)
Temperature Range		-200 up to +555 oC atmosphere;
		-200 up to +850 oC in Steam;
Process	Reciprocating	30 Mpa
	Valves	48 Mpa
PH		0~14
Density		1.5 ~1.75 g/cm3

Copyright © 2014-2015 Ningbo Kaxite Sealing Materials Co., Ltd. No.134,Huancheng North Road,Jiangbei District, Ningbo City,Zhejiang Province,China (Zip:315020) Website:<u>http://www.seal-china.com</u> E-mail:<u>sales@seal-china.com</u>

